





# High purity solvents for pesticide residues analysis

For the food and environmental industry



This range of high purity solvents has been specifically designed for the analysis of pesticide residues in the food industry and in the environmental control, for example in drinking water. Our solvents are carefully controlled by Gas Chromatography. The analysis is made over a sample 500 fold concentrated. Then the sample is injected in the Gas Chromatograph using the ECD and the FID detectors.

- Using an ECD detector in the interval from Lindane to DDT, there are no peaks greater than 5 ng/l of Lindane.
- Using a FID detector in the interval from 2-Octanol to Tetradecanol.

These solvents are carefully packed and the liquid only gets in contact with glass and teflon. The pesticide analysis program includes Sodium Sulfate anhydrous with the same guarantee level of pesticide impurities.

# **QuEChERS**

The QuEChERS method for pesticides analysis in fruit and vegetables has become increasingly used over the past few years. It is a fast and simple alternative to traditional liquid-liquid and solid-phase extractions. We offer ready-to-use tubes containing preweighed amounts of salts and absorbents according to standards (EN, AOAC).



You can find detailed specifications of these products in www.itwreagents.com

# Solvents and reagents for **pesticide analysis**

Code	Description		Package					
		1 kg	1 L	2.5 L	4 L	10 L	25 L	30 L
321007	Acetone		吞	吞	吞			
321881	Acetonitrile, ACS			杏				
321252	Chloroform stabilized with ethanol			凸				
321250	Cyclohexane		杏	盂	杏	I		
321254	Dichloromethane stabilized with ~ 20 ppm of amylene		盂	凸	吞	I		
322551	Diethyl Ether stabilized with ethanol		盂					
321318	Ethyl Acetate		吞	吞		I		
322062	n-Heptane		杏					
323242	n-Hexane 95%		吞	盂	吞	I	I	I
321347	Hexane, alkanes mixture		吞	吞			Ä	
322064	Isooctane		杏	ā	吞			
321091	Methanol		杏	吞				
326165	Mixture Cyclohexane/Ethyl Acetate 1:1 v/v			큠	큠			
322006	n-Pentane		杏	盂				
321315	Petroleum Ether 40–60°C		杏	盂		I		
322701	Petroleum Ether 60–80°C			盂				
321090	2-Propanol		杏					
325708	Sodium Sulfate anhydrous, granulated	盂						
325709	Sodium Sulfate anhydrous, powder	盂						
321745	Toluene		杏	ā				

## Sample preparation by QuEChERS method

Tubes for extraction phase									
Description		Presentation							
QuEChERS extraction EN15662 Method	176967.23160	50 tubes of 50 ml							
Composition per tube: 4 g Magnesium Sulfate anhydrous	176967.12160	50 tubes of 15 ml							
1 g Sodium Chloride 0.5 g di-Sodium Hydrogen Citrate 1½-hydrate 1 g tri-Sodium Citrate 2-hydrate	176967.1211	1 kg *							
Tubes for dispersion phase									
Description		Presentation							
QuEChERS dispersive EN15662 Method	176969.23162	50 tubes of 15 ml							
Composition per tube: 0.150 g PSA (Primary Secondary Amine) 0.900 g Magnesium Sulfate anhydrous	176969.1209	250 g *							
Auxiliary Reagents									
Description		Presentation							
Sodium Acetate anhydrous (Reag. Ph. Eur.) for analysis, ACS	131633.1210 131633.1211	500 g 1000 g							
Sodium Chloride for analysis, ACS, ISO	131659.1210 131659.1211	500 g 1000 g							
tri-Sodium Citrate 2-hydrate for analysis, ACS	131655.1210 131655.1211	500 g 1000 g							



Because of the continuous updating of our catalog of products and presentations, kindly confirm product availability, through our website.

<sup>\*</sup> mixture with the same ratio of components as in tubes





#### PanReac Química SLU

C/ Garraf 2, Polígono Pla de la Bruguera E-08211 Castellar del Vallès (Barcelona) Spain Phone +34 937 489 400 Fax +34 937 489 401 info.es@itwreagents.com

#### AppliChem GmbH

Ottoweg 4 DE-64291 Darmstadt Germany Phone +49 6151 9357 0 Fax +49 6151 9357 11 info.de@itwreagents.com

### Nova Chimica Srl

Via G. Galilei, 47 I-20092 Cinisello Balsamo (Milano) Italy Phone +39 02 66045392 Fax +39 02 66045394 info.it@itwreagents.com

www.itwreagents.com